

Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo
					Modo						
	PnP	CFG	MGT		No.	850 nm	1300 nm	1300 nm	Multi	Sencillo	
EISK Skorpion	•			5	ST	SC	ST	SC	•		EISK5-100T
				8							EISK8-100T
				4		1					EISK5-100T/FC
				4			1				EISK5-100T/FT
				4				1			EISK5-100T/FCS
				6		2					EISK8-100T/FC
				6			2				EISK8-100T/FT
				6				2			EISK8-100T/FCS



Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo
					Modo						
	PnP	CFG	MGT		No.	850 nm	1300 nm	1300 nm	Multi	Sencillo	
EIBA BAS	•			5	ST	SC	ST	SC	•	•	EIBA5-100T
				5							EIBA5-100T/R



Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo
					Modo						
	PnP	CFG	MGT		No.	850 nm	1300 nm	1300 nm	Multi	Sencillo	
EISM Miniatura	•			5	ST	SC	ST	SC	•		EISM5-100T



Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo
					Modo						
	PnP	CFG	MGT		No.	850 nm	1300 nm	1300 nm	Multi	Sencillo	
EIS Switch de Interconexión	•			8	ST	SC	ST	SC	•	•	EIS8-100T
				4		1					EIS5-100T/FC
				4			1				EIS5-100T/FT
				4				1			EIS5-100T/FCS
				4		2					EIS6-100T/FC
				4			2				EIS6-100T/FT
				4				2			EIS6-100T/FCS



Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo
					Modo						
	PnP	CFG	MGT		No.	850 nm	1300 nm	1300 nm	Multi	Sencillo	
EISC Switch Configurable	•			16	ST	SC	ST	SC	•	•	EISC16-100T
				10		2					EISC12-100T/FC
				10			2				EISC12-100T/FT
				10				2			EISC12-100T/FCS



- PnP Plug & Play
- CFG Configurable
- MGT Administrable (SNMP)
- DIN Montaje en riel DIN
- PNL Montaje en panel

IC22

Switches 10/100 Mbps, rango industrial de temperatura (0 a 60° C)

Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo
					Modo						
	PnP	CFG	MGT		No.	Multi		Sencillo	DIN	PNL	
EICP Switch Compacto	•			9	ST	SC	ST	SC	•	•	EICP9-100T
				8		1					EICP9-100T/FC
				8			1				EICP9-100T/FT
				8				1			EICP9-100T/FCS
				6		2					EICP8-100T/FC
				6			2				EICP8-100T/FT
				6				2			EICP8-100T/FCS



Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo
					Modo						
	PnP	CFG	MGT		No.	Multi		Sencillo	DIN	PNL	
EICP_M Switch Compacto Administrable			•	8	ST	SC	ST	SC	•	•	EICP8M-100T
				6		2					EICP8M-100T/FC
				6			2				EICP8M-100T/FT
				6				2			EICP8M-100T/FCS



IC22

Switches 10/100 Mbps, rango amplio de temperatura (-40 a 75° C)

Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo
					Modo						
	PnP	CFG	MGT		No.	Multi		Sencillo	DIN	PNL	
EISX Switch Compacto Rango Amplio de Temp.	•			9	ST	SC	ST	SC	•	•	EISX9-100T
				8		1					EISX9-100T/FC
				8			1				EISX9-100T/FT
				8				1			EISX9-100T/FCS
				6		2					EISX8-100T/FC
				6			2				EISX8-100T/FT
				6				2			EISX8-100T/FCS



Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo
					Modo						
	PnP	CFG	MGT		No.	Multi		Sencillo	DIN	PNL	
EISX_M Switch Compacto Rango Amplio de Temp. Administrable			•	8	ST	SC	ST	SC	•	•	EISX8M-100T
				6		2					EISX8M-100T/FC
				6			2				EISX8M-100T/FT
				6				2			EISX8M-100T/FCS



PnP Plug & Play
 CFG Configurable
 MGT Administrable (SNMP)
 DIN Montaje en riel DIN
 PNL Montaje en panel

CONTEMPORARY CONTROLS

Documento 102-070621 • IC22 • Pedro Noriega 1417 Colonia Terminal • Monterrey, N.L. C.P. 64580
 Tel. +52 (81) 1352-6323 • Fax. +52 (81) 1352-6324 • www.ic22.com.mx • ic22@ic22.com.mx

IC22

Switches 10/100 Mbps, rango amplio de temperatura (-40 a 75° C)

Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo			
					Modo									
	PnP	CFG	MGT		No.	Multi		Sencillo		DIN		PNL		
EISB Switch Rango Amplio de Temp. Linea B	•			8						•	•	EISB8-100T		
				6		2						EISB8-100T/FC		
				6			2					EISB8-100T/FT		
				6					2				EISB8-100T/FCS	
				16									EISB16-100T	
				14			2						EISB16-100T/FC	
				14					2				EISB16-100T/FT	
				14								2	EISB16-100T/FCS	
				24										EISB24-100T
				22					2					EISB24-100T/FC
				22								2		EISB24-100T/FT
				22									2	EISB24-100T/FCS



Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo			
					Modo									
	PnP	CFG	MGT		No.	Multi		Sencillo		DIN		PNL		
EISB_M Switch Rango Amplio de Temp. Linea B Administrable			•	8						•	•	EISB8M-100T		
				6		2						EISB8M-100T/FC		
				6			2						EISB8M-100T/FT	
				6					2				EISB8M-100T/FCS	
				16										EISB16M-100T
				14			2							EISB16M-100T/FC
				14					2					EISB16M-100T/FT
				14								2		EISB16M-100T/FCS
				24										EISB24M-100T
				22					2					EISB24M-100T/FC
				22								2		EISB24M-100T/FT
				22									2	EISB24M-100T/FCS



IC22

Convertidores 10 ó 100 Mbps, rango industrial de temperatura (0 a 60° C)

Serie	Funcionalidad			Puertos de Cobre	Puertos de fibra óptica				Montaje		Modelo		
					Modo								
	PnP	CFG	MGT		No.	Multi		Sencillo		DIN		PNL	
EIMC Convertidores Miniatura	•			1						•		EIMC-10T/F	
				1		1						EIMC-100T/FC	
				1			1						EIMC-100T/FT
				1					1				EIMC-100T/FCS



- PnP Plug & Play
- CFG Configurable
- MGT Administrable (SNMP)
- DIN Montaje en riel DIN
- PNL Montaje en panel

